PRODUCT DATA SHEET

Revision Date: 13/01

ATUREX[®] 1002

High Purity Dimer Acid

ATUREX 1002 is a dimerized fatty acid product, which has been distilled and achieves very good purity of dimer content.

FEATURES

- Good chemical resistance
- Excellent flexibility
- Low viscosity
- Good corrosion resistance
- High dimer content

APPLICATIONS

- High grade polyamide resin
- Hot-melt adhesive
- Lubricating oil
- Adhesive, oilfield corrosion inhibitor
- Lubricating grease

| PROPERTIES | TYPICAL | SPECIFICATION |
|-------------------------------|---|---------------|
| Appearance at 25°C | Amber viscous liquid | |
| Saponification Value, mgKOH/g | 198 | 197-201 |
| Colour, Gardner | 2 | <3 |
| Acid Value, mgKOH/g | 195 | 194-198 |
| Viscosity, mPa.s, 25°C | 6500 | 5000-7000 |
| TYPICAL PROPERTIES | | |
| Monomer, GC, % | 0.2 | <0.5 |
| Dimer, GC, % | 96.5 | 95-98 |
| Trimer, GC, % | 3 | <5 |
| HANDLING & STORAGE | In unopend, original containers, several years at 2 - 40°C, (see Expiry date on original container) | |
| CN CODE | 2917190090 | |
| PACKAGING | net weight 190KG in litre tight head steel drums | |
| HEALTH & SAFETY | Please refer to Material Safety Data Sheet | |



Economic development zone, yichun, jiangxi, China. Phone: +86 186 0795 057 Tel: +86 795 3586166 Fax: +86 795 3586165 E-Mail: jackie@aturex.com Web: www.aturex.com

Publication number 10086 - Revision Jan. 2013

The information and statements herein are believed to be reliable, but not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification.